

SUPPLEMENT TO

The Gazette



of India

सत्यमेव जयते

28]

NEW DELHI, SATURDAY, JULY 18, 1953

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 20th June 1953

CHOLERA						SMALLPOX						PLAGUE					
C.		D.		C.		D.		C.		D.		C.		D.		C.	

STATES PART (A) AND PART (C)

Bombay—contd.

Ajmer																	
No incidence.																	
Assam																	
Chhota
Chasi and Jaintia Hills
Chaga Hills
Chalpara	2	2
Chamrup	2
Charrang
Chowgong
Chibugar
Chikhampur
Chhaya & Frontier Tracts
Hills
TOTAL	..	2	2	2
Estd. mid-year pop. 9,488 (thousands).																	
Total for w/e 13-6-53	2	2
Total for w/e 6-6-53
7-yearly mean for the week	51	28	5	2

East Khandesh	50	14
West Khandesh
Amreli	1
Nasik	20	8	5	1
Poona	1	1	2
Satara North
Sholapur	13	9
Sabarkantha	10	2
Belgaum
Bijapur	4	..	4
Dharwar	1
Kanara	3
Ratnagiri
Kolaba
Kolhapur	11	1
Baroda	11	5	3
Nasari
Dangs
Malwan
Mahsana
Banaskantha
TOTAL	356	108	82	5

(Estd. mid-year pop. 37,445 thousands)

Total for w/e 13-6-53	286	86	65	13
Total for w/e 6-6-53	293	94	98	13
7-yearly mean for the week	62	21	178	36	1	1

Bhopal																	
Information not received.																	
Bihar																	
Information not received.																	
Bombay																	
Greater Bombay	28	3
Ahmedabad	21	4	1
Alira	17	3	4
Amroha	166	38
Anand Mahals
Burhat	16	9
Bhambha	16	8	2
Satara South	11	5	1
Ahmednagar	10

Goorg
No incidence.

Delhi

Delhi City	2
New Delhi
Delhi Shahdara	1
Delhi Notified Area

Explanation of Symbols used — C.—Cases ; D.—Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 20th June 1953—*contd.*

CHOLERA		SMALLPOX		PLAGUE		CHOLERA		SMALLPOX		PLAGUE	
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
Punjab (I)						Uttar Pradesh—contd.					
Hissar			1			Jhansi					
Rohtak						Jalaun	8	4			
Surgeon			2			Hamirpur	11	7			
Karnal			3	1		Banda	11	6			
Ambala			3	1		Banaras					
Simla						Mirzapur	3	2			
Kangra			1	1		Jaunpur	2				
Hoshiarpur			7	4		Ghazipur	9	2			
Jullundur			5	2		Ballia					
Ludhiana			2			Gorakhpur	18	13			
Perosepur			16	3		Deoria	16	9			
Amritsar						Basti					
Gurdaspur			1			Azamgarh	6	2			
TOTAL			41	12		Nainital					
(Estd. mid-year pop. 12,649 thousands)						Almora					
Total for w/e 13-6-53			59	13		Garhwal			1		
Total for w/e 6-6-53			62	16		Lucknow	6	2			
7-yearly mean for the week	10	6	21	8		Unao					
Tripura						Rae Bareilly					
No incidence.						Sitapur					
Uttar Pradesh						Hardoi	4	2			
Dehra Dun						Kheri					
Saharanpur			1	1		Faizabad					
Muzaffarnagar			4	2		Gonda					
Meerut						Bahraich					
Bulandshahr						Sultanpur					
Aligarh						Pratapgarh	3	1			
Mathura			6	2		Bara Banki	7	2			
Agra			1			Rampur					
Mainpuri			9	5		TOTAL	124	61	25	12	
Etah	1	1				(Estd. mid-year pop. 64,826 thousands)					
Bareilly						Total for w/e 13-6-53	178	90	50	28	
Bijnor						Total for w/e 6-6-53	163	82	63	21	
Budaun			1	2		7-yearly mean for the week	498	246	159	46	1
Moradabad											
Shahjahanpur						Vindhya Pradesh					
Pilibhit						TOTAL	182	80			
Farrukhabad						(Estd. mid-year pop. 3,530 thousands)					
Etawah						Total for w/e 13-6-53	678	289			
Kanpur	6	2	2			Total for w/e 6-6-53	814	172			
Fatehpur	1	1				West Bengal					
Allahabad	12	5				Bardwan	89	31	1		
						Birbhum	10	4	1		
						Bankura	18	11	3		
						Midnapur	21	12			
						Hooghly	61	24	3	1	
						Howrah	135	73			

Explanation of Symbols used:—C.—Cases; D.—Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 20th June 1953—*contd.*

CHOLERA								SMALLPOX								PLAGUE															
O.								D.								O.								D.							
West Bengal—contd.								Hyderabad—contd.																							
24-Parganas				116	56	1	1	—	—	Adilabad				83	18	10	1	—	—												
Dalmeeta				526	208	4	3	—	—	Nizamabad				86	25	—	—	—	—												
Nadia				1	1	—	—	—	—	Medak				—	—	7	5	—	—												
Murshidabad				43	23	—	—	—	—	Nalgonda				1	1	—	—	—	—												
Malda				—	—	—	—	—	—	Mahbubnagar				—	—	—	—	—	—												
West Dinajpur				—	—	4	1	—	—	Hyderabad				—	—	4	2	—	—												
Jalpaiguri				—	—	—	—	—	—	Nanded				196	70	—	—	—	—												
Darjeeling				—	—	1	1	—	—	TOTAL				874	118	21	8	—	—												
Cooch Behar				—	—	—	—	—	—	Jammu & Kashmir																					
Chandernagore				—	—	—	—	—	—	Information not received.																					
TOTAL				1,030	451	17	7	—	—	Madhya Bharat																					
(Estd. mid-year pop. 25,475 thousands.)										Information not received.																					
Total for w/e 13-6-53				713	300	22	9	—	—	Mysore																					
Total for w/e 6-6-53				558	248	16	0	—	—	Bangalore				4	1	26	3	—	—												
7-yearly mean for the week				278	104	138	56	—	—	Chikmagalur				—	—	8	—	—	—												
Grand Total for States Parts (A) & (C) (excluding Bhopal, Bihar and Himachal Pradesh)				2,085	900	21	71	—	—	Chitaldrug				—	—	—	—	—	—												
Corresponding (Estd. mid-year pop. thousands)										Hassan				—	—	—	—	—	—												
Corresponding Total for w/e 13-6-53				2,201	1,098	409	112	—	—	Kadur				—	—	—	—	—	—												
Corresponding Total for w/e 6-6-53				2,199	950	507	140			Kolar				—	—	16	3	—	—												
Corresponding 7-yearly mean for the week				1,362	635	1,122	69	3	2	Mandya				—	—	6	1	—	—												
STATES PART (B)										Patiala & East Punjab States Union																					
Hyderabad										TOTAL																					
Aurangabad				4	1	—	—	—	—					1	1	17	4	—	—												
Farbhani				4	3	—	—	—	—	Rajasthan																					
Bhir				—	—	—	—	—	—	Information not received.																					
Gulberga				—	—	—	—	—	—	Saurashtra																					
Malepur				—	—	—	—	—	—	Information not received.																					
Bidar				—	—	—	—	—	—	Tamil Nadu																					
Osmabad				—	—	—	—	—	—	TOTAL																					
Waranangal				—	—	—	—	—	—					—	—	1	1	—	—												
Karimnagar				—	—	—	—	—	—	Grand total for States Part (B)				379	120	113	20	—	—												
										Grand total for States Parts (A), (B) & (C)				2,164	1,020	424	91	—	—												

Explanation of Symbols used: C=Cases; D=Deaths.

Reported attacks and deaths from cholera, small-pox, plague and typhus in district in India during the week ending the 20th June 1953—con't.

CHOLERA		SMALLPOX		PLAGUE		CHOLERA		SMALLPOX		PLAGUE	
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.

ABREAR INFORMATION

Patiala & East Punjab States Union

w/c 30-5-53

TOTAL	36	5
-------	----	---	----	----

Patiala and East Punjab States Union

w/c 6-6-53

TOTAL	53	7
-------	----	---	----	----

Patiala and East Punjab States Union

w/c 13-6-53

TOTAL	35	9
-------	----	---	----	----

Bilaspur

1—31 May 1953

No incidence

Himachal Pradesh

w/c 13-6-53

TOTAL	24	1
-------	----	---	----	----

Hyderabad

/s 2-5-53

Nalgonda	9	3
Hyderabad	3	1
TOTAL	9	3	3	1

Hyderabad

w/c 9-5-53

Aurangabad	3
Nanded	1
Karimnagar	2
Nalgonda	12	7
Mahbubnagar	4	4
Hyderabad	40	20	3	1
TOTAL	52	27	13	5

POLIOMYELITIS

(Information based on patients treated in hospitals in important towns.)

Places	Period	Cases
Delhi State	16—30 June, 1953	6 (Paretic)
Punjab (I)	1—15 June, 1953	23 (,,) 1 (Non-paretic)
Madhya Pradesh	16—31 May, 1953	1 (Paretic)
Uttar Pradesh	1—15 June, 1953	2 (,,)
Greater Bombay	16—31 May, 1953	1

Explanation of Symbols used—C=Cases; D=Deaths.

NEW DELHI-2 (INDIA); }
The 13th July, 1953 }

K. MITRA,
for Registrar General, India.

TODAY'S BEST INVESTMENT FOR SMALL SAVERS

NATIONAL SAVINGS CERTIFICATES

Available in three different series, maturing after 5, 7 and 12 years. The yield is 3%, 3.57% and 4.16% simple interest, respectively, at maturity. Thus, in the 12 year-certificates money increases by 50% on maturity. Interest is free of income-tax and super-tax and is not taken into account in arriving at the total taxable income.

The certificates are obtainable from Post Offices doing Savings Bank business in denominations of Rs. 5, 10, 50, 100, 500, 1,000 and 5,000. An individual can invest upto Rs. 25,000 and two joint holders upto Rs. 50,000/-

Deposits accepted in multiples of Rs. 100 upto a maximum of Rs. 25,000 for a single depositor and Rs. 50,000 for two persons jointly. Interest at 3½% per annum, free of income-tax and super-tax and which is not taken into account in assessing the total taxable income, is paid or remitted to the depositor's address every year. Deposits accepted at offices of the Reserve Bank of India at Bombay, Calcutta, Delhi and Madras and Branches of the Imperial Bank of India at other places transacting treasury business. Deposits are also accepted at all Treasuries in Part 'A' States at places where the Imperial Bank does not transact treasury business and at all Sub-Treasuries in Part 'A' States; also at Treasuries at Bhuj (Kutch), Imphal (Manipur) and Coorg-Mercara (Coorg).

3½%

TEN-YEAR TREASURY SAVINGS DEPOSITS

For further information and/or rules governing these investments please write to the Provincial National Savings Officer of your State or the National Savings Commissioner, Gorton Castle, Simla-3.

AC 444

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 20th June, 1953

Deaths from :—														
Town	Mid.-year Popn. Est (000)	B.	B.R.*	C	S	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
STATES—(Parts A and C)														
Ajmer														
Ajmer	208	51	12.8	4	1	7	..	20	5.0	5	
Beawar	54	16	15.4	6	..	3	..	10	9.6	4	
TOTAL	262	67	13.3	10	1	10	..	30	6.0	9	
Assam														
Return not received.														
Bhopal														
Bhopal	108	37	17.8	4	..	3	..	9	4.3	—	
Bihar														
Return not received														
Bombay														
Ahmedabad	832	510	31.9	126	2	36	..	253	15.8	96	
Ahmednagar	84	64	39.7	4	2	4	..	20	12.4	4	
Amalner	47	30	13.2	6	1	1	..	11	12.2	2	
Bagalkot	34	15	22.9	3	2	8	12.2	..	
Baroda	225	134	31.0	29	2	7	3	68	15.7	13	
Barshi	44	18	21.3	3	15	15.7	4	
Belgaum	105	61	30.2	3	3	2	..	27	13.4	7	
Bhusawal	57	43	39.2	11	..	2	..	19	17.3	3	
Bijapur	70	33	24.5	6	..	3	..	17	12.5	..	
Broach	65	51	40.8	4	1	5	..	26	20.8	10	
Cambay	40	36	46.8	7	1	12	15.4	..	
Chalisgaon	32	26	42.2	4	6.5	2	
Dharwar	71	28	20.5	1	..	7	6.0	..	
Dhulia	82	38	25.7	7	2	5	1	24	16.2	6	
Gadag-Betger†				
Godhra	40	24	32.2	2	8	10.4	..	
Greater Bombay	3,096	1,424	23.9	..	3	..	10	33	171	38	691	11.6	200	
Hubli	137	49	18.6	17	6.4	..	
Jalgaon	73	82	22.8	1	2	..	12	9.6	..	
Kalyan	65	35	28.0	
Kolhapur†				
Nandurbar	22	21	34.1	
Malegaon	59	52	45.8	32	1	3	..	48	33.5	6	
Miyat†				
Nadiad	66	38	29.6	1	2	..	24	18.7	11	
Nagil	107	45	21.0	5	2	2	..	31	15.1	4	
Navsari	47	34	37.6	2	1	2	..	11	12.2	3	
Pandharpur	42	33	40.9	4	3	5	..	15	18.6	2	
Patan	45	49	50.6	8	2	2	..	22	20.4	7	
Poona	539	224	21.0	4	24	3	116	11.2	20	
Sangli	54	18	17.5	2	1	..	30	28.8	..	
Satara	39	28	37.3	
Sholapur	281	204	37.8	
Surat	235	179	39.6	2	
Thana†				
TOTAL	6,745	3,576	27.6	2	4	..	329	11	63	1	415	18.4	91	
Delhi State														
Delhi City	99	495	25.9	176	6	76	..	289	13.1	68	
New Delhi	322	167	27.0	23	5	26	1	128	12.3	23	
TOTAL	1,317	662	26.1	199	11	63	1	415	18.4	91	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 20th June, 1953—*contd.*

Town	Mid-year Popn. Est. (000)	B.	B.R.*	Deaths from:—								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Madhya Pradesh														
Achalpur	37	19	26.7	—	—	—	3	..	—	—	9	12.6	2	
Akola	96	52	28.2	14	3	2	..	42	22.7	3	
Amravati	93	46	25.7	5	3	4	1	26	14.5	10	
Bilaspur	59	24	32.0	—	—	—	6	1	—	..	14	18.7	7	
Burhanpur	74	57	40.1	—	..	—	13	..	5	..	26	18.3	—	
Damoh	39	19	25.3	..	—	—	2	1	2	..	16	21.3	—	
Gondia†														
Hinganghat†														
Jabalpur	218	108	25.8	..	4	—	25	11	5	..	83	19.6	6	
Khandwa	55	17	16.1	—	..	—	7	—	11	10.4	..	
Rajpur	96	12	6.5	—	..	—	11	—	17	9.2	..	
Sagar†														
Wardha†														
Yeotmal	38	15	20.5	3	..	1	..	12	16.4	6	
TOTAL	785	369	24.4	..	4	—	89	19	19	1	255	16.9	34	
Madras														
Adoni	58	32	28.7	—	..	—	2	..	5	4.5	1	
Ambur	42	21	26.0	—	2	3	3.7	1	
Anakapalle	43	18	21.8	..	—	1	..	9	10.9	1	
Ananthapur	34	27	41.3	1	2	7	10.7	..	
Aruppukotai	52	25	25.0	—	4	2	5	..	25	25.0	6	
Bellary	74	36	25.3	2	5	..	12	8.4	3	
Bhimvaram	33	19	29.9	—	..	—	2	..	1	..	8	12.6	4	
Bodinayakanur	38	16	21.9	2	—	4	5.5	1	
Chidambaram	37	32	45.0	1	..	0	8.4	..	
Cochin Port	31	36	60.4	3	—	..	19	20.1	2	
Cannanore	44	22	26.0	—	10	11.8	2	
Chirala	40	21	27.3	5	1	2	..	10	13.0	1	
Chittoor	41	21	26.6	—	1	1	1	..	10	12.7	1	
Coimbatore 2	213	175	42.7	2	10	19	3	78	19.0	20	
Cuddalore	71	58	42.5	5	..	1	1	19	13.9	2	
Cuddappah	40	35	45.5	1	..	1	1	6	7.8	..	
Dindigul	84	39	24.1	2	1	2	..	14	8.7	1	
Eluru	92	26	14.7	6	1	29	16.4	1	
Erode	62	55	46.1	2	1	2	..	15	12.6	3	
Gobichetty Palayam	34	22	33.6	5	7.6	..	
Gudivada	84	20	30.6	2	1	2	..	19	29.1	7	
Guntakal	34	17	26.0	3	1	1	..	7	10.7	2	
Guddiyattam	49	28	29.4	2	2	13	13.8	5	
Guntur	135	101	38.9	—	10	1	3	..	49	18.9	15	
Hospet	42	38	47.0	2	2	1	9	11.1	3	
Kakinada	106	44	21.6	6	1	1	..	25	12.3	7	
Kancheepuram	87	48	28.7	1	1	7	..	36	21.5	5	
Karalkudi	41	22	27.9	1	1	2	..	10	12.7	..	
Karur	46	20	22.6	1	..	2	..	11	12.4	4	
Kozhikode	166	118	37.0	13	8	22	..	132	41.4	14	
Kumbakonam	97	72	38.6	3	2	4	1	20	10.7	2	
Kurnool	64	49	39.8	1	3	2	2	18	14.6	6	
Madras	1,542	1,278	43.1	..	1	..	68	80	148	4	661	22.2	171	
Mangalore	126	115	47.5	6	1	7	..	42	17.3	6	
Masulipatnam	82	48	30.4	2	1	2	..	34	21.6	5	
Mathurai	390	248	33.1	8	5	42	3	118	15.7	27	
Mayuram	36	43	48.6	1	10	11.3	2	
Melapalayam	39	18	24.0	—	..	2	4	..	9	12.0	1	
Nagapattinam	159	53	46.7	..	—	—	2	3	..	3	22	19.4	6	
Nellore	87	111	60.3	—	8	2	6	..	44	26.3	5	
Ootacamund	44	35	41.4	1	..	4	..	15	17.7	2	
Palyamkottai	42	34	42.1	3	..	3	1	14	17.3	1	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D. D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 20th June, 1953—*contd.*

Town	Mid.-year Popn. Est. (000)	B.	B.R.*	Deaths from:—							Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.			
Madras—contd.													
Palghat	73	32	22.8	2	2	2	1	20	14.2	8
Proddatur	39	26	34.7	..	1	2	1	..	7	9.3	2
Pudukottai	47	31	34.3	3	1	10	11.1	2
Palani	37	21	29.5	2	2	..	8	11.2	2
Periyakulam	32	15	24.3	1	5	8.1	1
Pollachi	40	24	27.1	3	1	2	..	12	13.6	4
Nandyal	95	8	11.9	2	3.0	1
Rajahmundry	112	62	28.8	5	1	1	..	30	13.9	4
Rajapalayam	64	32	26.0	3	..	2	1	10	8.1	2
Salem	219	137	32.5	3	7	11	2	57	13.5	10
Srivilliputtur	42	19	23.5	2	1	3	..	16	19.8	3
Srirangam	39	12	16.0	3	10	13.3	..
Tanjore	108	89	42.9	6	3	3	1	41	19.7	5
Tellicherry	41	40	50.7	3	8	5	1	28	35.5	5
Tenali	62	36	30.2	2	..	3	..	15	12.6	5
Tiruchirappalli	233	97	21.7	6	6	..	48	10.7	4
Tirunelveli	76	44	30.1	3	6	..	32	21.9	5
Tiruppur	67	42	38.3	1	1	14	12.8	3
Tiruvannamalai	42	26	32.2	1	3	1	9	11.1	2
Tuticorin	104	65	32.5	2	4	2	..	30	15.0	10
Villupuram	37	19	26.7	1	1	1	1	5	7.0	2
Vaniyambadi	40	18	23.4	1	5	6.5	4
Vellore	114	80	36.5	..	2	..	5	..	11	..	37	16.9	5
Vijayavada	179	66	19.2	8	..	3	1	38	11.0	4
Virudunagar	49	34	36.1	1	1	6	..	17	18.0	4
Visakhapatnam	117	49	21.8	4	1	7	2	38	16.9	12
Vizianagram	71	32	23.4	4	4	..	23	16.8	3
TOTAL	6,626	4,452	34.0	..	4	..	232	188	393	35	2,172	17.0	458
Orissa													
Berhampur	67	36	28.0	4	3	..	1	16	12.5	4
Cuttack	109	83	39.7	11	2	5	..	36	17.2	2
Puri	51	15	15.3	3	1	2	..	15	15.3	5
TOTAL	227	134	30.7	18	6	7	1	67	15.3	11
Punjab (I)													
Ambala	61	27	23.1	10	3	5	..	22	18.8	7
Amritsar	317	200	32.9	14	9	49	..	126	20.7	52
Batala	59	24	21.2	7	..	2	..	12	10.6	2
Bhiwani	54	29	28.0	11	..	2	..	17	16.4	4
Ferozepore	41	21	26.7	1	1	1	..	6	7.0	2
Hissar	37	21	29.6	3	..	2	..	9	12.7	1
Hooshiarpur	48	21	22.8	6	..	1	..	8	8.7	..
Jullundur	182	70	20.1	24	1	1	..	35	10.0	4
Karnal	61	18	15.4	..	1	..	7	10	8.5	1
Ludhiana	164	94	29.9	..	1	..	20	1	3	..	37	11.8	7
Moga	39	10	13.4	9	..	1	..	12	16.0	1
Panipat	59	16	14.1	3	4	3.5	2
Pathankot	33	8	12.6	3	1	2	..	7	11.1	4
Rewari	35	6	8.9	7	7	10.4	1
Rohtak	73	38	27.1	9	..	3	..	15	10.7	5
Simsa	47	28	31.1	1	..	8	8.9	4
Sonepat	31	15	25.3	5	..	1	..	9	15.2	2
TOTAL	1,341	646	25.1	..	2	..	139	16	74	..	344	13.4	99
Uttar Pradesh													
Agra	352	154	22.8	..	2	..	2	15	83	..	168	24.9	46
Aligarh	329	129	20.4	8	2	35	1	73	11.6	18
Amroha	60	40	34.8	13	1	11	..	39	33.9	13
Bahraich	45	25	29.0	6	3	13	15.1	5
Ballia	32	12	19.6	2	1	3	4.9	..
Banaras	358	180	26.2	63	5	21	..	174	25.3	36

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths)

Births and deaths from principal diseases in towns with a population of over 10,000 in India for the week ending the 20th June, 1953—*contd.*

	Mid.-year Pop. Est. (000)	Deaths from—											Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
Uttar Pradesh—contd.															
Banda	31	8	13.5	..	1	..	1	6	10.1	1		
Bareilly	198	85	22.4	19	6	15	..	38	10.0	10		
Basti†															
Bijnor	31	13	21.9	7	1	12	20.2	4		
Budaun	53	38	37.4	12	..	3	1	21	20.7	1		
Bulandshahr	39	22	29.4	12	12	10.0	1		
Chandausi	39	57	49.5	13	..	1	..	24	32.1	11		
Dehra Dun	130	30	12.0	5	..	3	..	15	6.0	4		
Etawah	62	51	42.9	25	..	6	..	30	30.3	7		
Faizabad-Ajodhya	81	20	12.9	5	..	1	..	14	9.0	1		
Farrukhabad-Fatehgarh	78	42	28.1	9	1	2	..	16	10.7	4		
Ferozabad†															
Ghaziabad	42	12	14.9	10	1	14	17.4	5		
Ghazipur	35	20	29.8	2	..	1	..	12	17.0	1		
Gonda	34	7	10.7	2	3	4.6	2		
Gorakhpur	131	63	25.0	19	6	11	2	48	19.1	7		
Hapur	46	50	56.7	22	2	2	..	27	30.6	19		
Hardwar†															
Hathras	59	53	46.8	31	4	6	..	42	37.1	11		
Jaunpur	54	30	29.0	4	..	3	..	10	9.7	..		
Jhansi	111	62	29.1	81	..	4	..	102	47.9	28		
Kanpur	680	302	23.2	101	34	33	7	299	22.9	97		
Kaanganj	33	2	3.2	3	4	6.3	..		
Khurja	40	20	26.1	2	..	5	..	13	16.9	3		
Koll-Aligarh	143	55	20.1	36	4	8	..	56	20.4	15		
Lucknow	407	245	27.4	1	70	26	25	1	227	25.3	59		
Mathura	104	79	39.6	37	1	8	..	52	26.1	17		
Mau-Nath Bhanjan	36	35	50.7	9	2	18	26.1	4		
Meerut	172	79	23.9	18	2	14	..	48	14.6	12		
Mirzapur-Vindhyachal	92	26	14.7	14	2	3	..	24	18.6	5		
Moradabad	160	60	19.6	23	5	8	..	42	13.7	11		
Muzaffarnagar	68	22	16.0	12	..	1	..	17	13.0	4		
Pilibhit	45	23	26.7	5	1	14	16.2	6		
Rampur	145	14	5.0	1	2	..	1	..	6	2.2	..		
Beharapur	151	74	25.6	75	..	1	..	88	30.4	16		
Sambhal	63	47	38.9	..	5	..	21	4	2	..	37	30.6	6		
Shahjahanpur	99	31	16.3	22	1	33	17.4	3		
Sitapur	47	20	22.2	5	7	7.8	2		
TOTAL	4,975	2,317	24.3	2	8	..	821	120	317	13	1,907	20.0	495		

West Bengal*Return not received.***STATES—(Part B)****Jammu & Kashmir***Returns not received.***Madhya Bharat****Mysore State**

Bangalore City	862	560	33.7	..	7	..	4	37	45	..	184	11.1	..	
Davangore†														
Kolar Gold Fields	165	107	33.7	..	1	..	1	8	4	..	36	11.3	..	
Mysore City	266	181	41.5	..	1	..	12	5	1	4	67	15.3	..	
TOTAL	1,293	848	34.1	..	9	..	17	50	50	4	287	11.5		

PEPSU*Return not received.***Rajasthan**

Ganganagar	41	6	7.6	..	1	..	11	13	16.5	3	
Churu	44	4	4.5	2	2	2.4	..	
Alwar	59	17	15.0	2	1	4	..	21	18.5	..	
Udaipur	97	10	5.4	5	..	3	..	8	4.3	2	
Bharatpur	38	8	10.9	6	6	..	1	13	17.8	3	
Tonk	44	4	4.5	4	..	3	..	11	13.0	3	
Sikar	47	9	10.0	3	5	5.5	1	
Bikaner	117	6	3	6	..	20	8.9	1	
TOTAL	487	58	6.2	..	1	..	39	10	16	1	93	9.9	13	

Saurashtra*Return not received.*

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 20th June, 1953—*contd.*

Town	Mid.-year Popn.-Est. (000)	Deaths from :—											Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
Travancore-Cochin		Return not received.													
West Bengal		ARREAR RETURNS													
		For w/e the 30th May 1953													
Asansol	80	6	3.9	4	2.6	..		
Baidyabati	32	6	9.8	1	..	2	3.3	1		
Bally	63	6	5.0	1	0.8	..		
Bankura	49	10	10.6	2	..	1	..	5	5.3	..		
Baranagar	83	31	19.5	3	3	3	4	..	25	15.7	..		
Basirhat	37	6	8.5	..	1	4	5.6	..		
Berhampur	59	25	22.1	5	1	1	17	15.0	1		
Bhadreswar	33	6	9.5	1	..	3	4.7	1		
Bhatpara	188	21	7.9	3	..	2	..	29	7.2	..		
Budge-Budge	82	8	13.0	2	..	3	4.9	..		
Burdwan	78	7	4.7	4	3	..	1	13	8.7	..		
Calcutta	2,825	1,005	18.6	99	4	..	93	77	162	4	772	14.3	185		
Champdani	39	16	21.4		
English-Bazar†	116	20	9.0	1	6	4	3	..	26	11.7	..		
Garden Reach		
Halisahar	38	2	3.7	3	4.1	1		
Hooghly-Chinsura	58	32	28.8	2	1	..	14	12.6	2		
Howrah	458	101	11.5	16	12	31	33	1	149	17.0	35		
Jalpaiguri	45	19	22.0	5	12	13.9	..		
Kamarhati†	64	12	9.8	1	2	1.6	..		
Kanchrapara		
Krishnagar	52	3	3.0	2	4	4.0	..		
Midnapore	44	19	22.5	1	2	..	1	..	15	17.8	1		
Nabadwip	62	27	22.8	3	1	4	1	11	9.3	..		
Naihati	58	9	8.1	1	2	..	5	4.5	1		
North Barrackpore	34	5	7.7	1	1	1.5	..		
Panhati	58	6	5.4	1	1	0.9	..		
Shantipur	46	8	9.1	2	2.3	..		
Serampore	78	24	16.0	2	4	2	..	16	10.6	..		
Siliguri	37	2	2.8	1	1.4	..		
South Dum-Dum†	112	6	2.7	2	5	3	2	..	17	7.9	5		
South Suburban	74	33	23.3	1	15	2	24	16.9	6		
Titagarh		
TOTAL	4,982	1,481	15.5	131	6	..	157	132	221	7	1,191	12.4	239		
Travancore-Cochin		For w/e the 13th June 1953													
Alleppey	130	60	24.0	2	4	16.0	..		
Changanacherry	38	38	52.0	2	..	1	..	8	10.9	1		
Ernakulam	66	38	29.9	4	1	..	1	21	16.5	4		
Kottayam	47	35	38.7	1	5	5.5	..		
Mattancherry	78	66	44.0	1	..	4	1	11	7.3	1		
Nagercoil	86	29	17.5	1	..	4	..	9	5.4	3		
Quilon	70	55	40.9	1	..	6	4.5	1		
Trichur	73	83	59.1	5	3	2	..	15	10.7	..		
Trivandrum City	201	54	52.0	2	..	5	..	21	5.4	1		
TOTAL	789	458	30.2	16	4	17	4	100	6.0	11		
Bhopal															
Bhopal	w/e 6-6-53	108	46	22.2	8	..	3	..	12	5.8	..		
Bhopal	w/e 13-6-53	108	48	23.1	..	1	8	4	1.9	..		
Madhya Pradesh															
Raipur	w/e 6-6-53	96	14	7.6	12	3	3	..	32	17.3	..		
Damoh	w/e 13-6-53	89	19	25.3	9	2	1	..	36	48.0	..		
Raipur	Do.	96	8	4.3	16	1	1	..	30	16.2	..		
Gondia	Do.	41	22	27.9	..	3	12	25	31.7	..		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 20th June, 1953—concl'd.

Deaths from —

Town	Mid.-year Popn. Est. (000)	B.	B. R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D. R.*	I.D.
Saurashtra		<i>For w/e the 6th June 1953</i>											
Bhavnagar	146	28	19.5	..	2	..	10	..	3	..	29	10.3	5
Dhoraji	45	24	27.7	1	2	1	1	9	10.4	..
Jamnagar	112	31	14.4	10	3	1	..	22	10.2	6
Junagadh	64	17	13.8	..	1	..	10	..	3	1	25	20.3	6
Morvi	42	12	14.9	1	..	1	..	3	8.7	1
Porbandar	61	32	27.3	..	10	..	5	25	21.3	10
Rajkot	147	62	21.9	22	2	2	2	42	14.0	14
Surendra Nagar	38	8	10.9	2	..	1	..	6	8.2	1
Veraval	43	11	13.3	2	1	2	2.4	1
TOTAL	698	225	16.8	..	13	..	63	7	12	5	103	12.1	44
Rajasthan													
Churu	w/e 6-6-53	44	2	3.6
Kotah	w/e 6-6-53	67	8	6.2	..	2	..	9	2	1	14	10.9	2
Jodhpur	w/e 16-5-53	186	22	6.2	..	2	..	16	1	8	27	7.6	6
Jodhpur	w/e 23-5-53	186	21	5.9	12	1	2	15	4.1	5
Jodhpur	w/e 30-5-53	186	13	3.7	..	2	..	13	..	4	19	5.3	9
Jodhpur	w/e 6-6-53	186	13	3.6	..	3	..	10	15	4.2	6

Punjab (I)

Ferozepur	w/e 13-6-53	41	22	28.0	1	1	..	5	6.4	1
-----------	-------------	----	----	------	----	----	----	----	---	---	----	---	-----	---

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B. R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M. D.—Maternal Deaths; D. R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

REMARKS

The figures of births and deaths shown in this statement for week ending the 20th June 1953, relate to 187 towns with an estimated population of 24,166 thousands. The total number of towns is 296 and their population is 36,122 thousands. Thus 63% of the total number of towns representing 67% of the total population is covered in this statement. The numbers of births and deaths recorded in these towns were 13,166 and 7,325 representing birth and death rates of 28.3 and 15.8 per thousand of population respectively.

(A) States (Parts A & C) :—The data here relate to 176 towns with an estimated population of 22,386 thousands. Information about Assam, Bihar and West Bengal could not be included. The total number of towns is 250 and their population is 30,772 thousands. Thus 70% of the total number of towns representing 73% of the total population is covered. The number of births and deaths recorded in these towns were 12,260 and 6,945 representing

birth and death rates of 23.5 and 16.1 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(B) States (Part B) :—The data here relate to 11 towns with an estimated population of 1,780 thousands. The total number of towns is 46 and their population is 5,350 thousands. Thus 24% of total number of towns representing 33% of total population is covered. The numbers of births and deaths recorded in these towns were 906 and 380 representing birth and death rates of 26.5 and 17.1 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/o 20.6.53		Corresponding w/s last year		Corresponding mean during the previous 5-year period	
	B. R.	D. R.	B. R.	D. R.	B. R.	D. R.
Ajmer . . .	13.3	6.0	19.1	13.8	24.8	13.1
Bombay . . .	27.6	13.4	30.4	13.5	30.9	17.2
Delhi . . .	26.1	16.4	27.6	16.9	31.7	14.9
Madhya Pradesh .	24.4	16.9	29.4	14.1	25.7	15.1
Madras . . .	34.9	17.0	32.8	16.9	42.7	24.9
Orissa . . .	30.7	15.3	36.5	17.4	41.4	19.9
Punjab (I) . . .	25.1	13.4	30.6	15.3	20.1	10.9
Uttar Pradesh . .	24.3	20.0	27.1	19.6	29.1	24.1
India (only States Parts A & C)	23.5	16.1	20.7	16.1	28.0	18.6

NEW DELHI, 2 (INDIA) ;
The 13th July, 1953.

K. MITRA,
for Registrar General, India.